	्रमहर्ग ।	Chief, CIA Librar	r, cau Y		T) NOARSHOUL TALK
STATINTL		This, Reference	lare on h		
STATINTL		Manya For Super1	om decemplishmen	t for	
27 <b>9</b> 1	CHEMCE(A)	Administrative In	struction No.	dated li dur	<b>26</b> 1.9 <b>45</b>
STATINT			e with the provi		oe A., Paragraph Sai(i),
STATINTL		commended that rate with the degrate with the degrated a method to improvation in the public	ove the public s	or eccomplishment	rithin-grade prometic:  b
STATINTL		ži.	as combined the	process of xerogi	raphy with the midro-
	FEIR FO	der to produce on-	the-epot enlarge	ments of selected	i microfilm Il Sales
OT 4 TIVITI	#Athout	the need for stand	ard photographic	supplies or duri	croom. As microfilm
STATINTL	ibraria			iencies of tradit	
					on centralisec photo-
		services has retar			
					th one system inherently
					at Kright Field had
		40-	•	***	raphic plates, are las
					s the first instance
	AIF CALL	application known	to turn office o	a. co ustore cosbs	ung's kashingkon dilion
				lves the installs	etion of a similar
	- Testa h				reader to bold the
	and .	ally-charged merog			
		in the reader the 1		•	-
	maken an instantaneous exposure using the 200-east bulb in the reader. Levelop-				
					te are obtained from
STATINTL					a the image, a meyer,
has produced acceptable enlargements from negative					
	h'blo fe	representative sa			•
STATINTL		**************************************	ocubination of	two pieces of ave	milable equipment has
					mde it less Gebendent
					possible for each
		personing microfil			
		little more than ti ings in photographi			
STATINTL		the mee of		most certainly be	
STATINIL			AND WALL	mas se service in	F THE TOOK PANA C
STATINTL					